



Amarr® KnockOut Doors

Impactable Industrial Dock Doors

Amarr 6632


Impact KnockOut Door

The most versatile and cost-effective impactable door for facilities with:

- Moderate panel damage
- Moderate to severe track damage
- Budget sensitivity



CONSTRUCTION



- Full height 12 gauge galvanized steel track
- 2" thick insulated, foam core panel with damage resistant polymer interior facing
- Heavy-duty, retractable plungers allow door to release from the opening upon impact
- Tight perimeter weatherseal incorporates a brush seal and loop seal to eliminate air infiltration and light gaps. Both are attached to the panel versus the door jamb, keeping it out of harms way to provide a consistent seal.
- Door sizes 48" x 48" up to 120" x 168"
- 1 year panel performance warranty
- 1 year material and workmanship warranty

OPTIONS



Impact-A-Track™

Provides total protection against the most abusive impacts, available in 3', 6' or full height. (5 year impact warranty)



Super Bottom Panel

Adds strength and durability where most impacts occur. (2 year performance warranty)



Clear Vision Panel

21" high, 1-3/4" thick Clear Vision Panel that runs the full width of the door and provides full visibility outside the facility.

Amarr 6635 and 6600


Insulated and Non-Insulated SuperImpact KnockOut Doors

The industry's most rugged door, providing total knockout protection for facilities with:

- Moderate to severe panel damage
- Moderate to severe track damage
- Higher wind load requirements



CONSTRUCTION



Amarr 6635

Amarr 6600

- Full height 12 gauge galvanized steel track standard
- 1-3/4" thick insulated, foam core panel with damage resistant polymer interior panel skin or 3/4" thick non-insulated 7-ply wood core panel durable enough to handle heavy impacts
- Heavy-duty, retractable plungers allow door to release from the opening upon impact
- Tight perimeter weatherseal eliminates air infiltration and light gaps. Seals are attached to the panel versus the door jamb, keeping them out of harms way to provide a consistent seal.
- Door sizes:
Amarr 6635: 48" x 48" up to 144" x 168"
Amarr 6600: 48" x 48" up to 120" x 120"
- 2 year panel performance warranty
- 1 year material and workmanship warranty

OPTIONS



Impact-A-Track™

Provides total protection against the most abusive impacts, available in 3', 6' or full height. (5 year impact warranty)



PowerHouse™ Panel

Polycarbonate interior facing provides superior protection against severe impacts. (2 year impact warranty)



Single Pane or Thermal Pane Rectangular Window

Provides visibility outside the facility.


Amarr 6634 SuperTherm KnockOut Door

Specifically designed for perishable
and cold storage facilities with:

- Moderate panel damage
- Moderate to severe track damage



CONSTRUCTION



**4" Thick
Moisture Resistant Panel**
Closed-cell foam core
provides R-23 rated damage
resistant fiberglass interior
facing for consistent
temperature control

- Full height Impact-A-Track™ provides total protection against the most abusive impacts from top to bottom.
- 4" thick insulated, foam core panel with damage resistant polymer interior facing
- Heavy-duty, retractable plungers allow door to release from the opening upon impact
- Tight perimeter weatherseal incorporates a double loop seal to prevent energy loss. Seal is attached to the panel versus the door jamb, keeping it out of harms way to provide a consistent seal.
- Door sizes 48" x 48" up to 120" x 168"
- The unique double compression side and bottom seals provide an energy efficient seal that separates cold interior temperatures from the ambient exterior temperatures that are common with refrigerated facilities
- 5 year Impact-A-Track™ warranty
- 1 year panel performance warranty
- 1 year material and workmanship warranty

OPTIONS



**Thermal Pane
Rectangular Window**
Provides visibility outside the
cold storage facility for
cold storage environments.



Super Bottom Panel
Adds strength and durability
where most impacts occur.
(2 year performance warranty)

| Amarr KnockOut Door Comparison | Moderate Damage | Severe Damage | Cold Storage |
|--------------------------------------|-----------------|---------------|--------------|
| Amarr 6632 Impact | X | | X |
| Amarr 6635 SuperImpact Insulated | | X | X |
| Amarr 6600 SuperImpact Non-Insulated | | X | |
| Amarr 6634 SuperTherm | X | | X |



| Recommended Options by Application | Model | Optional Panels | Track Option | Additional Recommended Options |
|------------------------------------|------------|-------------------------------|--|--|
| Cold Distribution | Amarr 6632 | Super Bottom Panel | 3' Impact-A-Track | Thermal Pane Window |
| Dry Distribution | Amarr 6632 | Super Bottom Panel | 3' Impact-A-Track | Single Pane Window |
| | Amarr 6600 | Side Brush | 3' Impact-A-Track | Single Pane Window |
| Food Processing | Amarr 6635 | Thermal Package | Full height Impact-A-Track Double Knockout Header or Full Double Knockout (interior application only) | Stainless steel panel hardware Galvanized torsion springs or Powder coated counterweights |
| | Amarr 6634 | 2 Super Bottom Panels | Double Knockout Header or Full Double Knockout (interior application only) | Stainless steel panel hardware Galvanized torsion springs or Powder coated counterweights |
| Heavy Industry | Amarr 6635 | PowerHouse Panels (full door) | 6' Impact-A-Track or Full height Impact-A-Track | Clear Vision Panel |
| Heavy Distribution | Amarr 6600 | | 6' Impact-A-Track or Full height Impact-A-Track Double Knockout Header | |



Amarr damage-resistant, industrial KnockOut doors are designed to flex and withstand damage to the door panels and track when impacted. For busy loading docks, Amarr KnockOut doors are a long-term, lower cost solution than frequently replacing damaged dock doors.

OPTIONS AND ACCESSORIES

Double Knockout Header

Allows the door to knock out in both directions at the top of the door opening. (vertical lift track only)




E-Lift CounterWeight

Adjustable system eliminates the need for counterbalance springs.




Bottom Brush Seal


In addition to bottom loop seal for maximum perimeter seal.




OTHER COMMERCIAL DOORS AVAILABLE



Steel & Aluminum Sectional



Rolling Sheet



Rolling Slat

Our Philosophy. Since 1951, we have successfully raised the standards of quality, value, and dependability in the garage door industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering Amarr products and services that raise those standards even higher.

Your Local Amarr Dealer:

JDT Garage Door Service
602-703-9582
info@jdtgaragedoor.com

Entrematic

N56 W24701 Corporate Cr.
Sussex, WI 53089
877.408.6788
doors.sales.sda@entrematic.com



Entrematic and Amarr as words and logos are trademarks owned by Entrematic Group AB or companies within the Entrematic Group.
Door specifications and technical data subject to change without notice.
Entrematic products may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.
©Entrematic Group AB 2017. All rights reserved.
Printed in USA Form #6151217/14M/GVS

